

CX-WEC Series Emergency Call Systems For Universal & Barrier Free Restroom Control



**IN THE EVENT OF AN EMERGENCY
PUSH EMERGENCY BUTTON
AND AUDIBLE AND VISUAL SIGNAL
WILL ACTIVATE**



Camden CX-WEC Series equipment kits include everything you need to meet the latest building code requirements for emergency call systems in Universal restrooms.

CX-WEC Series Emergency Call System kits include 'PRESS FOR EMERGENCY ASSISTANCE' push button, audible and visual annunciators inside and outside the restroom, and instructional signage.

Next generation CX-WEC10BK2 Universal Emergency Call System kits include a double gang push button/annunciator and a CM-AF142SO multi-color dome light with sounder and flashing LED.



**EXCLUSIVE
PRODUCT**



BEST QUALITY






Features

- Ideal for universal restrooms with or without low energy door operators.
- Annunciation inside and outside restroom with audible sound adjustment.
- Push/pull 'Press for Emergency Assistance' maintained mushroom push button, or with latching relay for use with momentary switches, including tape (ribbon) switches.
- New single gang multi-color LED dome light with sounder (Red, Green, Blue or White) is offered as an individual component or in the CX-WEC10BK2 emergency control kit.
- CX-WEC Series emergency call systems are available in English, French and Bilingual.
- Compatible with all Camden 'CX-WC' barrier free restroom control kits.
- 3 year warranty



CX-WEC: EMERGENCY CALL SYSTEM COMPONENTS FOR UNIVERSAL RESTROOMS

Camden's emergency call system components have been specifically designed to meet the unique demands of universal restrooms in commercial and institutional applications. These exclusive products are not available elsewhere and are backed by the best warranty in the industry.

<p>CM-450R/12: Mushroom Push Button 1-5/8" Mushroom Push Button, Push/Pull, 'Press For Emergency Assistance'</p> <ul style="list-style-type: none"> • Push/pull maintained operation • Single gang stainless steel faceplate • Free-spinning push button to prevent vandalism • Stainless steel security screws supplied 	<p>CM-AF540SO: Double Gang 'Press For Emergency Assistance' Push Button & LED Annunciator</p> <ul style="list-style-type: none"> • Double gang, combining activation and annunciation in one device • 1-5/8" Maintained mushroom push button • Super bright LED illumination • White out 'ASSISTANCE REQUESTED' message only legible upon activation 
<p>CM-AF501SO: Single Gang LED Annunciator with Adjustable Sounder</p> <ul style="list-style-type: none"> • White out 'ASSISTANCE REQUESTED' message only legible upon activation • Single gang heavy duty brushed stainless steel faceplate • Super bright LED illumination • Field adjustable 85 DB Piezo sound alert, designed to confirm request 	<p>CM-AF141SO/CM-AF142SO: 'Assistance Required' Dome Light with Adjustable Sounder</p> <ul style="list-style-type: none"> • CM-AF141SO: white only • CM-AF142SO: red/blue/green/white • Weather & vandal resistant for indoor or outdoor use • Loud 93 DB Piezo sounder with volume adjustment • Super bright LED illumination • 'ASSISTANCE REQUIRED' text on lens (Eng., Fr. & bilingual) • 4" W x 5 1/2" H dress plate included  <p style="text-align: center;"> ▲ CM-AF141SO ▲ CM-AF142SO </p>
<p>CX-LRS12/CX-LRS24: Latching Relay Assembly for Emergency Call System</p> <ul style="list-style-type: none"> • For use with momentary 'PRESS FOR ASSISTANCE' switches • Selection of 12V or 24V latching relays 	<p>CM-SE21A/CM-SF20A: Instructional Signage for Universal Restrooms</p> <ul style="list-style-type: none"> • Complies with Ontario building code requirements • White, 1/16" (1.6mm) thick panel, 6"H x 10 5/8"W, (152mm x 270mm) • Fire rated expanded PVC • Red 1" (25mm) lettering • Easily mounts to wall (glue or screws) <div style="border: 1px solid black; padding: 5px; margin-top: 10px;"> <p style="text-align: center; color: red; font-weight: bold;">IN THE EVENT OF AN EMERGENCY PUSH EMERGENCY BUTTON AND AUDIBLE AND VISUAL SIGNAL WILL ACTIVATE</p> </div> <div style="border: 1px solid black; padding: 5px; margin-top: 5px;"> <p style="text-align: center; color: red; font-weight: bold;">DANS LE CAS D'UNE URGENCE POUSSER LE BOUTON D'URGENCE POUR ACTIVER LE SIGNAL SONORE ET VISUEL</p> </div>



SPECIFICATIONS	DIMENSIONS
CM-450R/12: Mushroom Push Button (1-5/8"), Push/Pull, 'Press For Emergency Assistance'	
<p>VOLTAGE: 12/24V AC/DC</p> <p>CONTACT TYPE: DPST, Maintained</p> <p>CONTACT RATING: 10 Amps</p> <p>STANDARD FINISH: Stainless Steel</p> <p>DIMENSIONS: 2 3/4" W x 4 1/2" H x 1 1/2" D (70mm x 114mm x 38mm)</p>	
CM-AF501SO: Single Gang LED Annunciator with Adjustable Sounder	
<p>VOLTAGE: 12/30V AC/DC</p> <p>CURRENT DRAW: 30mA - 75mA</p> <p>SOUNDER: Adjustable, 85DB @ 10CM Max.</p> <p>STANDARD FINISH: Stainless Steel</p> <p>DIMENSIONS: 2 3/4" W x 4 1/2" H x 9/16" D (70mm x 114mm x 15mm)</p>	
CM-AF540SO: Double Gang 'Press For Emergency Assistance' Push Button & LED Annunciator	
<p>VOLTAGE: 12/30V AC/DC</p> <p>CURRENT DRAW: 30mA - 75mA</p> <p>CONTACT TYPE: DPST</p> <p>CONTACT RATING: 10 Amps</p> <p>STANDARD FINISH: Stainless Steel</p> <p>DIMENSIONS: 4 1/2" W x 4 1/2" H x 1 9/16" D (114mm x 114mm x 40mm)</p>	
CM-AF141SO/CM-AF142SO: 'Assistance Required' Dome Light with Adjustable Sounder	
<p>VOLTAGE: 12V to 24V AC/DC</p> <p>CURRENT DRAW: CM-AF141SO: 40mA to 70 mA CM-AF142SO: 70mA Max 1 Color 130mA Max Multi-Color</p> <p>SOUNDER: Adjustable, 93DB @ 1 Meter Max. (3 ft)</p> <p>FINISH: White</p> <p>DIMENSIONS: 2 15/16" W x 4 9/16" H x 1/2" D (75mm x 115mm x 13mm)</p>	
CM-1205/14: Momentary, 'W/C System Reset' Flush Mount Key Switch with Cylinder & Keys	
<p>VOLTAGE: 12/24V AC/DC</p> <p>CONTACT TYPE: SPST, Momentary, N/C</p> <p>CONTACT RATING: 6 Amps</p> <p>SWITCH LIFE: 100,000 Cycles</p> <p>STANDARD FINISH: Stainless Steel</p> <p>DIMENSIONS: 2 3/4" W x 4 1/2" H x 1 1/2" D (70mm x 114mm x 38mm)</p>	



CX-WEC: EMERGENCY CALL SYSTEM CONTROL KITS FOR UNIVERSAL & RESTROOM APPLICATIONS

CX-WEC Series equipment packages are designed to provide a complete solution that includes assistance request and notification that meets the latest OBC building code requirements. CX-WEC Series Emergency Call System kits are available with white only or red/green/blue/white multi-color dome lights, with sounder, and with system reset that support the use of momentary 'PRESS FOR ASSISTANCE' switches (sold separately).

CX-WEC10K2: Universal Emergency Call System Kit

- (1) **CM-AF540SO** 'PRESS FOR EMERGENCY ASSISTANCE' maintained mushroom push button & 'ASSISTANCE REQUESTED' LED annunciator with adjustable sounder
- (1) **CM-AF141SO** Single Gang LED dome light with adjustable sounder
- (1) **CM-SE21** White panel sign, 6" x 10 5/8" (152mm x 270mm)

**IN THE EVENT OF AN EMERGENCY
PUSH EMERGENCY BUTTON
AND AUDIBLE AND VISUAL SIGNAL
WILL ACTIVATE**



CX-WEC10K2

CX-WEC10BK2: Universal Emergency Call System Kit with Multi-Color LED Dome

- (1) **CM-AF540SO** 'PRESS FOR EMERGENCY ASSISTANCE' maintained mushroom push button & 'ASSISTANCE REQUESTED' LED annunciator with adjustable sounder
- (1) **CM-AF142SO** Single Gang Multi-Color LED dome light with adjustable sounder and flashing LED
- (1) **CM-SE21** White panel sign, 6" x 10 5/8" (152mm x 270mm)

**IN THE EVENT OF AN EMERGENCY
PUSH EMERGENCY BUTTON
AND AUDIBLE AND VISUAL SIGNAL
WILL ACTIVATE**



CX-WEC10BK2

CX-WEC13: Universal Emergency Call System Kit with Key Switch Reset

Universal Emergency Call System Kit with key switch reset.

For use with momentary 'PRESS FOR EMERGENCY ASSISTANCE' switches (extra) includes:

- (1) **CM-AF501SO** 'ASSISTANCE REQUESTED' LED annunciator with adjustable sounder
- (1) **CM-AF141SO** Single Gang LED dome light with adjustable sounder
- (1) **CM-SE21** White panel sign, 6" x 10 5/8" (152mm x 270mm)
- (1) **CX-LRS** 24V latching relay assembly
- (1) **CM-1205/14** Momentary 'W/C SYSTEM RESET' key switch
- (1) **CM-CYL60KD** Mortise cylinder 1 1/8", keyed different

**IN THE EVENT OF AN EMERGENCY
PUSH EMERGENCY BUTTON
AND AUDIBLE AND VISUAL SIGNAL
WILL ACTIVATE**



CX-WEC13



For a complete list of all Barrier Free Restroom Control kits, visit our website or contact Camden's customer service at (877) 226-3369.

CAMDEN DOOR CONTROLS **Opening New Doors to Innovation, Quality and Support!**

5502 Timberlea Blvd. Mississauga, ON Canada L4W 2T7 • Toll Free: 1 877 226-3369 (CAMDEN9)
Tel: (905) 366-3377 • Fax: (905) 366-3378 • E-mail: info@camdencontrols.com • www.camdencontrols.com



Part #: MKTG-LIT-SP-CX-WECseries