




AUTOMATIC DOORS (ADA)

Single Door

Kinetic™ No-Battery Wireless Activation

File No. | 1.2.2.5



Wireless, with No-Battery Powered Transmitters


This is a wireless ADA-compliant 'low energy' automatic door application. Kinetic™ no-battery activation switches offer the same performance as wired or battery-powered wireless switches without the need for maintenance service or disposal of batteries in landfills.

FEATURES

- 300 ft. wireless range
- Wireless switches rated the same as wired (1million activations)
- Never replace batteries again
- 3 year warranty



Opening New Doors to Innovation, Quality, and Support!
1.877.226.3369 / 905.366.3377 • www.camdencontrols.com



SPECIFICATIONS

SYSTEM TYPE: AUTOMATIC DOORS (ADA)
APPLICATION TYPE: SINGLE DOOR
PROJECT SCOPE: KINETIC™ NO-BATTERY WIRELESS ACTIVATION



**Automatic
Doors (ADA)**



Automatic Doors (ADA)

Single Door


Kinetic™ No-Battery Wireless Activation



CX-RX-90

Wireless Receiver

- Compatible with both Lazerpoint RF™ and Kinetic by Camden™ Wireless Systems, Switch Selectable



CX-PS13v3

Variable Output Linear Power Supply

- Compact on Board Design
- Selectable 6, 12, 24VDC or 2-24VDC



4-1/2" Push to Open Push Plate

- Flush or Surface Mount
- ADA Compliant
- Optional Architectural Finishes



CM-43LP

Surface Mounting Box

- Flame/Impact Resistant